Torino, Italy

### What Women See: Vulvar Self Examination






### **Mario Preti**

Department of Obstetrics and Gynecology University of Torino, Italy No conflict of interest

- Women accessing Lower Genital Tract Disease Unit of Department of Obstetrics and Gynaecology of University of Torino
- 25 multiple-choice questions evaluating knowledge about normal anatomy and vulvar self examination
- 500 surveys collected so far





Population: Demographic Analysis


Age	<35	34,8%
	35-50	39,6%
	>50	25,6%
Nationality	Italian	92,8%
	Other	7,2%
Degree	Elementary/Primary school	20,4%
	High School	48%
	Graduate/Postgraduate	31,6%
Work	Phisical Work	27,7%
	Clerk	31,7%
	Freelancer	17,4%
	Students	11,4%
	Retired	6,8%
	Unemployed	4,8%
Number of sons	0	53,8%
	>/=1	46,2%
Marital status	Married/Living with partner	56,8%
	Single	43,2%
Smoking	Yes	23,8%
	No	76,2%



### **QUESTIONNAIRE:**


 Do the terms "vulva" and "vagina" indicate the same anatomical part?

- Yes
- o Not



- 4. Are the labia minora or nymphs inside the labia majora?
  - Yes
  - o Not








- 9. According to you there are differences that fall within the normal range as regards the appearance of the female external genitalia due to various factors such as age, weight, ethnicity and so on. ...?
  - o Yes

o Not



**Variability** is recognised, but 1/3 think that all the vulva are without differences




10. Have you ever been told, during your entire academic journey, in moments dedicated to sex education or in the family context, what is the self-observation of external genitalia and what does it consist of?

o Yes

Not

Only 23,2% were told of vulvar self examination



NO

SSV6


**Not Compiled** 

11. Have you ever observed your external genitalia with the help of a mirror or with the camera of your mobile phone?

- Yes
- Not



An higher degree of school relates with a higher percentage of vulvar self examination



At least once a

month

11%

**Sporadically** 41%

Only once, out of curiosity

So nulliparous women observed more frequently than parous women



**1** 


**2** 

13. If you have previously performed a self-examination of the vulva, or in any case you have observed your external genitals, describe which parts you have distinguished with more or less difficulty.

Mark from 1 to 4, for each anatomical part, the level of difficulty : 1
= maximum difficulty, 2 = much difficulty, 3= little difficulty and 4

=without difficulty:


### MINIMUM DIFFICULTY



**MAXIMUM DIFFICULTY** 

■ Not Compiled

- 14. Has it ever happened of finding something abnormal by selfexamining your genitals and so you have gone to a doctor or a specialist?
  - o No
  - Yes, you have gone to a physician.
  - Yes, you have gone to a specialist. <u>Indicate if</u> o Gynecologist,
     Dermatologist or o Midwife.
  - Yes, asking for advice from another person. (Specify





17. Would you be interested in receiving more information about selfexamination of external genitalia to know how you can positively act on your health?

YesNot


68,8% of women want to receive more information



Target Audience for informative campaigns



### Mean time of Multimedia using?




18: With which information channel?





19: With which way?

Movie





### **Drawings**





### Vulvar Self Examination..Useful?

VSE is a tool to understand what is normal for each women, given the great anatomical vulvar variability

Not a **DIAGNOSTIC TOOL** alone!



Women should refer immediately to trained medical personnel







